




ELECTRICAL CONNECTION ACCESS VIA REMOVABLE PANEL THIS SIDE



**NOTE:**  
IT IS RECOMMENDED THAT A MINIMUM OF 60 cm CLEARANCE ON ALL SIDES AND ABOVE THE COMPRESSOR FOR MAINTENANCE PURPOSES

NOTES:

CONNECTIONS		
A	COMPRESSED AIR OUTLET	3/4" MALE
B	ELECTRICAL ENTRY	36.5 mm
C	OIL TANK DRAIN	1/2" FEMALE WITH PLUG
D	AIR COOLING FLOW RATE	1.4 m <sup>3</sup> /min
E	CONDENSATE DRAIN POINT	—
F	WEIGHT	185 KG

25.05.2021

REV	DESCRIPTIONS	DRAW	CHK'D	APPR.	DATE
B	CHANGE DIM.	V.S.	I.K.	R.Ö.	01 JAN 08
A	ADD TABULATION, TANK DRAIN, ELEC.NOTE	V.S.	I.K.	R.Ö.	02 MAR 07

THIS DRAWING IS THE PROPERTY OF ANKARA HAMAK IND. AND IS TRANSMITTED IN CONFIDENCE. NEITHER RECEIPT NOR POSSESSION CONFERS OR TRANSFERS ANY RIGHTS TO REPRODUCE, USE OR DISCLOSE, IN WHOLE OR PART, DATA CONTAINED HEREIN FOR ANY PURPOSE, WITHOUT THE WRITTEN PERMISSION OF ANKARA HAMAK IND.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		CONTRACT NUMBER		<b>ERS 5,5 COMPRESSOR DIMENSIONS</b>	
FRACTIONS DECIMALS		DATE OF DRAWING			
± — .X ±	± .XX ±	15 JAN 2007			
± .XXX ±		DRAFTSMAN	CHECKER	CODE IDENT NO.	
		V.SAKAL	I.KARAHAN		
		ENGINEER	FUNCTIONAL DESIGN		
		B.OZKAN			
		MANUFACTURING	WELDING	SIZE	DRAWING NO.
				A1	00-0055-9000
NEXT ASSY	USED ON	APPROVED		SCALE 1:5	UNIT WT ——— LB SHEET OF
		R.ÖKÇÜN			

